


HAYDEN
BUILDING

681-683 WASHINGTON ST.
BOSTON, MA 02111



CLIENT / OWNER

**HISTORIC BOSTON
INCORPORATED**
617.442.1859

GENERAL CONTRACTOR

**MARC TRUANT &
ASSOCIATES**
617.868.8630

STRUCTURAL ENGINEER

L.A. FUSS PARTNERS
617.948.5700

M/E/P/F ENGINEER

CSI ENGINEERING
781.233.4808

CUBE

CUBE design + research, LLC | 1/11 817.848.2802
30 Kneeland Street 4th Flr, Boston, MA 02111 | www.cubework.com

ARCH. BID SET	3.07.12
CONSTRUCTION DOCS	1.31.12
DESIGN DEVELOPMENT	9.26.11
STRUCTURE PERMIT	8.09.11
LANDMARKS REVIEW	7.12.11
PERMIT SET	6.28.11
SCHEMATIC DESIGN	5.27.11
ISSUE	DATE

ISSUED FOR CONSTRUCTION



SCALE AS NOTED DATE DRAWN 5.27.11

**FOURTH FLOOR
PLAN & RCP**

A1.4

© CUBE design + research, LLC

plan & rcp keynotes

- 1 ROLLING WARDROBE, SEE 8/A6.2
- 2 EXISTING STEEL BRACE ABOVE, SEE STRUCTURE
- 3 COVE ABOVE
- 4 DEMO DOOR AND INFILL WALL
- 5 DEMO 2ND FLOOR BATHROOM, CAP PLUMBING, REFINISH
GWB WALL, CEILING & FLOORING TO MATCH EXISTING
- 6 ROLLER SHADE AT EXTERIOR WINDOW, TYP.
- 7 ROLLER SHADE AT CLERESTORY / BORROWED LIGHT
- 8 ROLLER SHADE MANUF. METAL HOUSING WITHOUT SHADE
- 9 PTD. ALUM. VALENCE BY CONTRACTOR, TYP.
- 10 LUMINOUS CEILING WITH PERIMETER FRAME, SEE 4/A8.5,
FIELD MOCK-UP REQUIRED
- 11 MECHANICAL UNIT ABOVE CEILING
- 12 PROVIDE SHEET METAL BLOCKING AS REQUIRED BY
MOVEABLE PARTITION MANUFACTURER
- 13 METAL VALENCE IN BEDROOMS, SEE 7/A6.2
- 14 EXTEND VALENCE TO BACK OF COVE, EACH SIDE
- 15 ALIGN CLNG VERTICAL FINISH W/ MILLWORK BELOW,
REFERENCE ELEVATIONS OF 1/A7.1 AND DETAIL 1/A9.3
- 16 ELECTRICAL LOAD CENTER, SEE A1.7 FOR LOCATION ON
FLOORS 2, 3, & 4
- 17 DUCT BETWEEN JOISTS ABOVE W/2HR FIREWRAP, SEE
MECHANICAL SPECIFICATIONS
- 18 5TH FLR. PIPING, COORDINATE WITH 7/A7.15 & 5/A7.16
- 19 5TH FLR. LIGHTING ON TOP OF MILLWORK, SEE 3/A7.15
FOR LOCATION, FIELD MOCK-UP REQUIRED
- 20 ALIGN CLEAR OPENING WITH FLOORS ABOVE AND BELOW,
OPENING SHALL ALIGN PARALLEL AND PERPENDICULAR TO
LAGRANGE STREET WALL
- 21 FACE OF JOIST
- 22 AREA CLEAR OF FRAMING FOR PIPE PENETRATIONS

legend


- CEILING SPRINKLER HEAD
- ▲ SIDEWALL SPRINKLER HEAD
- DETECTOR, SEE ELECTRICAL FOR TYPE
- FIRE ALARM
- DOWNLIGHT W/FIXTURE HOUSING OUTLINED
- STRIP LIGHT FIXTURE
- FIRE EXTINGUISHER, WALL MOUNT
- FIRE EXTINGUISHER, UNDER COUNTER
- STANDPIPE
- RAIN LEADER
- WASTE PIPE
- VENT PIPE
- PIPING
- VENT OR TUBE DENOTING FLOOR LEVEL
- IN FLOOR RECEPTACLE
- MECHANICAL SIDEWALL BLANK REGISTER
- MECHANICAL SIDEWALL REGISTER
- MECHANICAL CEILING REGISTER

ceiling access panel schedule


A.P.1 = 1'-6" X 1'-6"
A.P.2 = 2'-0" X 2'-0"
A.P.3 = 1'-0" X 1'-0"

general notes


1. ALL DIMENSIONS TO FRAMING UNLESS NOTED OTHERWISE
2. SEE DOOR SCHEDULE AND DETAILS FOR FRAMING
3. PROVIDE SOLID BLOCKING FOR ALL BATH ACCESSORIES



1 FOURTH FLOOR LAYOUT PLAN
1/4" = 1'-0"



2 FOURTH FLOOR PLAN
1/4" = 1'-0"



3 FOURTH FLOOR REFLECTED CEILING PLAN
1/4" = 1'-0"

1	BROWNSTONE FACADE COMPONENT IS CRACKED AND WILL REQUIRE DOWEL REINFORCING, ROUTING OF THE CRACK, AND EPOXY INJECTION, THIS WORK CAN BE PERFORMED WITH THE MATERIAL IN PLACE.	1
2	BROWNSTONE FACADE COMPONENT IS CRACKED AND WILL REQUIRE ROUTING OF THE CRACK, AND EPOXY INJECTION, THIS WORK CAN BE PERFORMED WITH THE MATERIAL IN PLACE.	2
3	BROWNSTONE FACADE COMPONENT IS/HAS SPALLED, THE SPALLING MATERIALS SHOULD BE REMOVED, THE RESULTING EXPOSED SURFACE SHOULD BE REVIEWED FOR CRACKING AND ANY CRACKS EPOXIED TO STABILIZE AND MINIMIZE THE INTRUSION OF WATER.	3
4	SPOT POINT OPEN BROWNSTONE JOINTS. THESE ARE GENERALLY SMALL AND LOCALIZED. AS THE EXTERIOR REVIEW WAS PERFORMED FROM THE GROUND WITH BINOCULARS IT IS RECOMMENDED THAT THE FACADE BE CLOSELY EVALUATED DURING THE COURSE OF THE WORK FOR ADDITIONAL AREAS REQUIRING SPOT REPOINTING.	4
5	SPOT POINTING OF OPEN OR DETERIORATED MASONRY JOINTS. EXCAVATE MORTAR TO SOLID MATERIAL (MIN. 1" DEPTH) AND REPOINT. THIS CONDITION OCCURS ON BOTH THE INTERIOR AND THE EXTERIOR.	5
5A	REPOINTING OF AN ENTIRE AREA AS INDICATED, INCLUDING RESETTING OF LOOSE OR SHIFTED UNITS.	1

REPLACEMENT OF CRACKED, DAMAGE, OR MISSING MASONRY UNITS AND SPOT POINTING OF ANY ADJACENT CRACKED MORTAR JOINTS. THIS CONDITION OCCURS ON BOTH THE INTERIOR AND EXTERIOR.

INFILL SCUPPER WITH MASONRY TO MATCH.

REPLACE THE MORTAR WASH ON THE EXTERIOR STEPS IN THE MASONRY OF THE SOUTH ELEVATION. THE PROFILE OF A PREVIOUS ADJACENT BUILDINGS CAN BE SEEN IN THE BRICK WORK, WHICH CURRENTLY EXISTS AS STEPS IN THE FACADE. THESE STEPS HAD BEEN PROVIDED WITH A MORTAR WASH TO MINIMIZE THE INTRUSION OF WATER. THE MORTAR WASH HAS DETERIORATED AND SHOULD BE REPLACED ALONG ITS ENTIRE LENGTH ON EACH OF THE STEPS.

REMOVE UNUSED ANCHORS AND HARDWARE AND PATCH RESULTANT HOLES WITH MINERAL BASED REPAIR MORTAR SUCH AS MANUFACTURED BY JAHN. THERE ARE A NUMBER OF LOCATIONS ON THE BUILDING, PREDOMINANTLY ON THE EAST ELEVATION, WHERE OLD ANCHORS HAVE BEEN REMOVED LEAVING HOLES IN THE BROWNSTONE WHICH SHOULD BE PATCHED. THERE ARE A NUMBER OF PIECES OF UNUSED ANCHORS AND HARDWARE, MOST NOTABLY ON THE SOUTH ELEVATION, THAT SHOULD BE REMOVED AND POINTED.

STUCCO INFILL PANEL, AND CMU SUBSTRATE TO BE REMOVED FOR THE INSERTION OF A NEW ENTRY SYSTEM ON THE WEST END OF THE NORTH ELEVATION.

11	SCRAPE, SEAL, AND PAINT THE AREAS OF CRACKING AND FLAKING PAINT ON THE STOREFRONT ON THE EAST END OF THE NORTH ELEVATION AND THE EAST ELEVATION. ENSURE PAINT COLOR IS CONSISTENT WITH ENTIRE ELEMENT; SHOULD NOT APPEAR PATCHY.
12	SEAL LOCALIZED AREAS OF OPEN JOINTS BETWEEN THE WOOD TRIM AND BROWNSTONE AROUND THE STOREFRONT ON THE NORTH AND EAST ELEVATIONS, AND WOOD FRAME WINDOWS.
13	CLEAN AREAS OF ALGAE GROWTH, BOTH AT GRADE AND ON WINDOW SILLS ON THE NORTH AND EAST ELEVATIONS.
14	REMOVE EXISTING DOOR, REBUILD DETERIORATED BRICK AT HEAD AND JAMBS, INFILL PER ARCHITECTURAL PLANS.
15	EXISTING CHIMNEY OUTLET. CONTRACTOR TO VERIFY LOCATION OF CHIMNEY INLETS AND WHETHER THE CHIMNEY IS IN ACTIVE USE. IF IT IS, THEN NOTIFY OWNER OF ITS NEEDED REPAIR. IF IT IS NOT IN USE, THEN REPOINT THE WALL OF THE CHIMNEY TO STABILIZE IT AND CAP THE TOP TO PREVENT WATER INFILTRATION. REPOINT WALL PORTION ABOVE TO PARAPET
16	VOIDS IN THE MASONRY WALLS BEHIND THE STONE FACADE SHOULD BE INFILLED SOLID WITH MASONRY TO PROVIDE CONTINUITY OF THE EXTERIOR WALL.

17	SPOT POINTING ON THE INTERIOR OF THE BASEMENT STONE FOUNDATION. THOUGH THIS LIKELY WON'T RESOLVE THE WATER PENETRATION ISSUE AT THE NORTHEAST AND NORTHWEST CORNER OF THE BASEMENT, IT WILL STABILIZE AND MINIMIZE ANY SHIFTING OF THE FOUNDATION STONES. THE WATER PENETRATION IN THE BASEMENT WILL NEED TO BE RESOLVED AT THE POINT OF ORIGIN OUTSIDE OF THE BUILDING. IT IS SUSPECTED THAT THE LEAK IS WITHIN THE CITY PIPE/MANHOLE ACCESS OUTSIDE THE FOUNDATION WALL.
18	MORTAR SET EXISTING DRY STACK STONE.
19	REPLACE DETERIORATED WINDOW SILL.
20	EXISTING FIRE BEACON, MOUNT NEW KEY BOX 2" BELOW
21	REPLACE MISSING INTERIOR GLAZING STOPS ON THE WOOD STOREFRONT ON THE FIRST FLOOR OF THE NORTH AND EAST ELEVATIONS.
22	NEW FIRE DEPARTMENT CONNECTION LOCATION

23	CLEAR DEBRIS FROM THE ROLL-UP SCREEN ON THE WASHINGTON STREET ELEVATION. RECONNECT ROLL-UP SCREEN IN WORKING ORDER. ENSURE CLOSING DOES NOT TO INTERFERE WITH FIRE BEACON AND KEY BOX.
24	REMOVE BRICK WYTHES OF CHIMNEY UNTIL FLUSH W/ADJACENT WALL. AFTER REMOVING CLEAN EXPOSED BRICK TO MATCH ADJACENT.
25	NEW MASONRY OPENING
26	FLUSH STUCCO OUT W/FULL LINTEL, EDGE TO EDGE, MATCH EXISTING STONE TEXTURE, COLOR AND PROFILE.
27	DUTCH MAN REPAIR. NEW STONE TO MATCH EXISTING STONE TEXTURE, COLOR AND PROFILE. EPOXY IN PLACE WITH STAINLESS STEEL THREADED ROD.
28	NEW STEEL LINTEL, SEE STRUCTURE.
29	EXISTING BRICK POCKETS TO REMAIN. DO NOT INFILL TYP.
30	EXISTING CHIMNEY INLETS TO BE CLEANED OF DEBRIS, FILLED W/INSULATION, AND PATCHED WITH STEEL COVER PLATE, PTD. SEE ARCHITECTURAL DETAIL.
31	EXISTING STEEL LINTELS ON 2ND FLOOR INTERIOR TO BE CLEANED OF RUST AND COATED WITH COLD GALVANIZING COMPOUND

1. REMOVE ALL INTERIOR WOOD FURNISHING AND CUT NAILS FROM WALLS AND CEILINGS/JOISTS. ON WASHINGTON AND LAGRANGE SIDES TAKE CARE TO DIFFERENTIATE STEEL NAILS FROM THRU-THROUGH-WALL STEEL TIE-BACKS HOLDING EXTERIOR STONE BACK. DO NOT CUT STEEL TIE-BACKS.
2. AT ALL EXTERIOR WINDOWS REMOVE AND REPLACE SEALANT AND BACKER ROD, MATCH EXISTING.
3. REMOVE FASCIA AND REPLACE WITH COPPER FASCIA AT FULL BUILDING PERIMETER WITH NEW ROOF MEMBRANE. SEE ROOF DETAILS. MATCH LAGRANGE STREET FASCIA HEIGHT FOR ALL SIDES.



2 EXISTING WASHINGTON STREET ELEVATION (EAST)


1 EXISTING LAGRANGE STREET ELEVATION (NORTH)

CSI ENGINEERING
781.233.4808

ש
ב
כ
ל

CUBE design + research, LLC | t/f 617.848.2602
330 Kneeland Street 4th Flr, Boston, MA 02111 | www.cubework.com


ISSUED FOR CONSTRUCTION




SCALE	DATE DRAWN
AS NOTED	5.27.11

EXISTING
REPAIR

A2.1



HAYDEN BUILDING
681-683 WASHINGTON ST.
BOSTON, MA 02111



CLIENT / OWNER
HISTORIC BOSTON INCORPORATED
617.442.1859

GENERAL CONTRACTOR
MARC TRUANT & ASSOCIATES
617.868.8630

STRUCTURAL ENGINEER
L.A. FUSS PARTNERS
617.948.5700

M/E/P/FP ENGINEER
CSI ENGINEERING
781.233.4808

CUBE

CUBE design + research, LLC | 1/1 817 848 2802
30 Kneeland Street 4th Flr, Boston, MA 02111 | www.cubework.com

ARCH. BID SET	3.07.12
CONSTRUCTION DOCS	1.31.12
DESIGN DEVELOPMENT	9.26.11
STRUCTURE PERMIT	8.09.11
LANDMARKS REVIEW	7.12.11
PERMIT SET	6.28.11
SCHEMATIC DESIGN	5.27.11
ISSUE	DATE


ISSUED FOR CONSTRUCTION




SCALE AS NOTED DATE DRAWN 5.27.11

ENTRY & LOBBY ELEVATIONS

A3.3



**HAYDEN
BUILDING**
681-683 WASHINGTON ST.
BOSTON, MA 02111



CLIENT / OWNER
**HISTORIC BOSTON
INCORPORATED**
617.442.1859

GENERAL CONTRACTOR
**MARC TRUANT &
ASSOCIATES**
617.868.8630


STRUCTURAL ENGINEER
L.A. FUSS PARTNERS
617.948.5700

M/E/P/FP ENGINEER
CSI ENGINEERING
781.233.4808

C U B E

CUBE design + research, LLC | 1/11 817 848 2802
30 Kneeland Street 4th Flr, Boston, MA 02111 | www.cubework.com

ARCH. BID SET	3.07.12
CONSTRUCTION DOCS	1.31.12
DESIGN DEVELOPMENT	9.26.11
STRUCTURE PERMIT	8.09.11
LANDMARKS REVIEW	7.12.11
PERMIT SET	6.28.11
SCHEMATIC DESIGN	5.27.11
ISSUE	DATE



SCALE
1/4" = 1'-0"

DATE DRAWN
5.27.11

**BUILDING
SECTIONS**


A4.1

CSI ENGINEERING
781.233.4808

WBBU


CUBE design + research, LLC | t/f 617.848.2602
30 Kneeland Street 4th Flr Boston MA 02111 | www.cubework.com


ISSUED FOR CONSTRUCTION




A4.4

© CUBE design + research, LLC







16 ENTRY STOREFRONT HEADER DETAIL
3" = 1'-0"




13 ENTRY STOREFRONT ACCESS PANEL & SILL DETAIL
3" = 1'-0"




1 2 3 4 5 6 7 8




8 ENTRY STOREFRONT JAMB / HEAD DETAIL TYP.
3" = 1'-0"




7 ENTRY STOREFRONT DOOR 105 HEADER DETAIL
3" = 1'-0"




5 ENTRY STOREFRONT SILL DETAIL @ DOOR 105
3" = 1'-0"



4 PLAN DETAIL OF DOOR HEADER @ JAMB
3" = 1'-0"




3 ELEVATION OF DOOR HEADER
3" = 1'-0"



1 PAVING DETAIL @ SIDEWALK CURB
3" = 1'-0"

HAYDEN
BUILDING
681-683 WASHINGTON ST.
BOSTON, MA 02111



CLIENT / OWNER
**HISTORIC BOSTON
INCORPORATED**
617.442.1859

GENERAL CONTRACTOR
**MARC TRUANT &
ASSOCIATES**
617.868.8630

STRUCTURAL ENGINEER
L.A. FUSS PARTNERS
617.948.5700

M/E/P/F ENGINEER
CSI ENGINEERING
781.233.4808

CUBE

CUBE design + research, LLC | 1/1 817 848 2802
30 Kneeland Street 4th Fl, Boston, MA 02111 | www.cubework.com

ARCH. BID SET	3.07.12
CONSTRUCTION DOCS	1.31.12
DESIGN DEVELOPMENT	9.26.11
STRUCTURE PERMIT	8.09.11
LANDMARKS REVIEW	7.12.11
PERMIT SET	6.28.11
SCHEMATIC DESIGN	5.27.11
ISSUE	DATE

ISSUED FOR CONSTRUCTION





SCALE
AS NOTED

DATE DRAWN
5.27.11

EXTERIOR DETAILS
ENTRY

A5.1



CLIENT / OWNER
HISTORIC BOSTON INCORPORATED
617.442.1859

GENERAL CONTRACTOR
MARC TRUANT & ASSOCIATES
617.868.8630

STRUCTURAL ENGINEER
L.A. FUSS PARTNERS
617.948.5700

M/E/P/FP ENGINEER
CSI ENGINEERING
781.233.4808

CUBE

CUBE design + research, LLC | 1/1 817.848.2802
30 Kneeland Street 4th Flr, Boston, MA 02111 | www.cubework.com

ARCH. BID SET	3.07.12
CONSTRUCTION DOCS	1.31.12
DESIGN DEVELOPMENT	9.26.11
STRUCTURE PERMIT	8.09.11
LANDMARKS REVIEW	7.12.11
PERMIT SET	6.28.11
SCHEMATIC DESIGN	5.27.11
ISSUE	DATE



ISSUED FOR CONSTRUCTION



SCALE 3" = 1'-0" DATE DRAWN 5.27.11

EXTERIOR DETAILS

A5.3



CLIENT / OWNER
HISTORIC BOSTON INCORPORATED
617.442.1859

GENERAL CONTRACTOR
MARC TRUANT & ASSOCIATES
617.868.8630


STRUCTURAL ENGINEER
L.A. FUSS PARTNERS
617.948.5700

M/E/P/FP ENGINEER
CSI ENGINEERING
781.233.4808

CUBE

CUBE design + research, LLC | 1/11 817.848.2802
30 Kneeland Street 4th Flr, Boston, MA 02111 | www.cubework.com

ARCH. BID SET 3.07.12
CONSTRUCTION DOCS 1.31.12
DESIGN DEVELOPMENT 9.26.11
STRUCTURE PERMIT 8.09.11
LANDMARKS REVIEW 7.12.11
PERMIT SET 6.28.11
SCHEMATIC DESIGN 5.27.11
ISSUE DATE




SCALE 3/8" = 1'-0"
DATE DRAWN 5.27.11

INTERIOR ELEVATIONS

A6.1

HAYDEN
BUILDING

681-683 WASHINGTON ST.
BOSTON, MA 02111



CLIENT / OWNER

**HISTORIC BOSTON
INCORPORATED**
617.442.1859

GENERAL CONTRACTOR

**MARC TRUANT &
ASSOCIATES**
617.868.8630

STRUCTURAL ENGINEER

L.A. FUSS PARTNERS
617.948.5700

M/E/P/FP ENGINEER

CSI ENGINEERING
781.233.4808

CUBE
CUBE design + research, LLC | 1/1 817 848 2802
30 Kneeland Street 4th Flr, Boston, MA 02111 | www.cubework.com

ARCH. BID SET	3.07.12
CONSTRUCTION DOCS	1.31.12
DESIGN DEVELOPMENT	9.26.11
STRUCTURE PERMIT	8.09.11
LANDMARKS REVIEW	7.12.11
PERMIT SET	6.28.11
SCHEMATIC DESIGN	5.27.11
ISSUE	DATE

ISSUED FOR CONSTRUCTION





SCALE 3/4" = 1'-0" DATE DRAWN 5.27.11

DETAIL PLANS &
WALL SECTIONS

A7.10

© CUBE design + research, LLC







016	NON-RATED - STAIR HALF WALL - 2X4 WD STUD
-----	---




© CUBE design + research, LLC



5 JAMB DETAIL @ LAGRANGE ST. EXIT DOOR
6' = 1'-0"




4 JAMB / HEAD DETAIL @ LAGRANGE ST. EXIT DOOR
6' = 1'-0"



3 SILL DETAIL @ LAGRANGE ST. EXIT DOOR
6" = 1'-0"

DOOR SCHEDULE												
DOOR NUMBER	LOCATION	FIRE RATING	DOOR				FRAME		HARDWARE SET NO.	REMARKS		
			SIZE [WxHxD]	MATERIAL	FINISH	TYPE	MATERIAL	FINISH				
B01	BASEMENT AT STAIR	90 MIN	3'-0" x 5'-10" x 1 3/4"	METAL	PAINTED	D	METAL	PAINTED	19	INSULATED: CUSTOM HEIGHT, VERIFY EXISTING OPENING IN FIELD		
B02	BASEMENT CLOSET	-	3'-0" x 5'-4" x 1 3/4"	HARDBOARD	PAINTED	G	WOOD	PAINTED	12	SOLID CORE, CUSTOM HEIGHT, VERIFY OPENING IN FIELD		
X01	WASHINGTON ST. ENTRY	-	EXISTING	SOLID WOOD	-	-	-	-	16	EXISTING DOOR TO GET NEW HANDLE AND DEADBOLT - BRONZE		
102	RESTROOM	-	3'-0" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	G	WOOD	PAINTED	15	SOLID CORE		
103	EXIT INTO LOBBY	90 MIN	3'-0" x 7'-0" x 1 3/4"	METAL	PAINTED	D	METAL	PAINTED	18	INSULATED		
104	EXIT INTO LOBBY	90 MIN	3'-0" x 7'-0" x 1 3/4"	METAL	PAINTED	C	METAL	PAINTED	17	INSULATED: 100 SQUARE INCH GLASS LITE PER NFPA 80 (RATED PER DOOR, CLEAR, NO WIRE), SEE DRAWINGS		
105	LAGRANGE ST. ENTRY	-	4'-1/2" x 8'-6" x 1 1/2"	GLASS	-	A	METAL	PAINTED	11	VERIFY OPENING IN FIELD, CUSTOM ENTRY, TEMPERED GLASS, ADA ACTUATOR, IN FLOOR OPERATOR, SEE DRAWINGS AND SPEC		
106	LAGRANGE ST. AT STAIR	-	3'-0" x 8'-0" x 1 3/4"	METAL	PAINTED	B	ALUM.	PAINTED	13	INSULATED		
201	UNIT ENTRY	90 MIN	3'-0" x 7'-0" x 1 3/4"	HARDBOARD	PAINTED	F	WOOD	PAINTED	1	MINERAL CORE, PEEP HOLE		
202	BATHROOM	-	2'-4" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	G	WOOD	PAINTED	2	SOLID CORE		
203	BEDROOM 1	-	3'-0" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	H	WOOD	PAINTED	7	SOLID CORE, POCKET DOOR		
204	BEDROOM 2	-	3'-0" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	H	WOOD	PAINTED	7	SOLID CORE, POCKET DOOR		
205	BEDROOM CLOSET	-	3'-0" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	H	WOOD	PAINTED	8	SOLID CORE, POCKET DOOR		
206	HALF BATH	-	2'-0" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	G	WOOD	PAINTED	2	SOLID CORE		
207	EXIT DOOR	180 MIN. (3 HR)	3'-0" x 6'-8" x 1 3/4"	METAL	PAINTED	E	METAL	PAINTED	4	INSULATED, ALARMED		
208	UTILITY CLOSET	-	1'-6" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	G	WOOD	PAINTED	3	SOLID CORE		
209	FIRE ESCAPE SECURITY	-	2'-10" x 6'-8"	METAL	PAINTED	I	METAL	PAINTED	6	CUSTOM METAL GATE		
301	UNIT ENTRY	90 MIN	3'-0" x 7'-0" x 1 3/4"	HARDBOARD	PAINTED	F	WOOD	PAINTED	1	MINERAL CORE, PEEP HOLE		
302	BATHROOM	-	2'-4" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	G	WOOD	PAINTED	2	SOLID CORE		
303	BEDROOM 1	-	3'-0" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	H	WOOD	PAINTED	7	SOLID CORE, POCKET DOOR		
304	BEDROOM 2	-	3'-0" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	H	WOOD	PAINTED	7	SOLID CORE, POCKET DOOR		
305	BEDROOM CLOSET	-	3'-0" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	H	WOOD	PAINTED	8	SOLID CORE, POCKET DOOR		
306	HALF BATH	-	2'-0" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	G	WOOD	PAINTED	2	SOLID CORE		
307	FIRE ESCAPE EXIT	180 MIN. (3HR)	3'-0" x 6'-8" x 1 3/4"	METAL	PAINTED	E	METAL	PAINTED	5	INSULATED, WIRED FOR FUTURE ALARM		
308	UTILITY CLOSET	-	1'-6" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	G	WOOD	PAINTED	3	SOLID CORE		
401	UNIT ENTRY	90 MIN	3'-0" x 7'-0" x 1 3/4"	METAL	PAINTED	F	WOOD	PAINTED	1	MINERAL CORE, PEEP HOLE		
402	BATHROOM	-	2'-4" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	G	WOOD	PAINTED	2	SOLID CORE		
403	BEDROOM 1	-	3'-0" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	H	WOOD	PAINTED	7	SOLID CORE, POCKET DOOR		
404	BEDROOM 2	-	3'-0" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	H	WOOD	PAINTED	7	SOLID CORE, POCKET DOOR		
405	BEDROOM CLOSET	-	3'-0" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	H	WOOD	PAINTED	8	SOLID CORE, POCKET DOOR		
406	HALF BATH	-	2'-0" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	G	WOOD	PAINTED	2	SOLID CORE		
407	FIRE ESCAPE EXIT	180 MIN. (3HR)	3'-0" x 6'-8" x 1 3/4"	METAL	PAINTED	E	METAL	PAINTED	5	INSULATED, WIRED FOR FUTURE ALARM		
408	UTILITY CLOSET	-	1'-6" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	G	WOOD	PAINTED	3	SOLID CORE		
501	UNIT ENTRY	90 MIN.	3'-0" x 7'-0" x 1 3/4"	METAL	PAINTED	F	WOOD	PAINTED	1	MINERAL CORE, PEEP HOLE		
502	BATHROOM	-	2'-4" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	G	WOOD	PAINTED	2	SOLID CORE		
503	BEDROOM 1	-	3'-0" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	H	WOOD	PAINTED	7	SOLID CORE, POCKET DOOR		
504	BEDROOM 2	-	3'-0" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	H	WOOD	PAINTED	7	SOLID CORE, POCKET DOOR		
505	BEDROOM CLOSET	-	3'-0" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	H	WOOD	PAINTED	8	SOLID CORE, POCKET DOOR		
506	HALF BATH	-	2'-0" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	G	WOOD	PAINTED	2	SOLID CORE		
507	FIRE ESCAPE EXIT	180 MIN. (3HR)	3'-0" x 6'-8" x 1 3/4"	METAL	PAINTED	E	METAL	PAINTED	5	INSULATED, WIRED FOR FUTURE ALARM		
508	UTILITY CLOSET	-	1'-6" x 6'-8" x 1 3/4"	HARDBOARD	PAINTED	G	WOOD	PAINTED	3	SOLID CORE		
509	ROOF ACCESS	90 MIN.	3'-0" x 7'-0" x 1 3/4"	METAL	PAINTED	B	METAL	PAINTED	9	INSULATED		
601	ROOF EQUIP. ACCESS	-	3'-0" x 3'-6"	METAL	PAINTED	I	METAL	PAINTED	10	CUSTOM METAL GATE		
602	FIRE ESCAPE GATE EXIT	-	3'-0" x 3'-6"	METAL	PAINTED	J	METAL	PAINTED	6	CUSTOM METAL GATE		
603	ROOF ACCESS GATE	-	3'-0" x 3'-6"	METAL	PAINTED	I	METAL	PAINTED	10	CUSTOM METAL GATE		

2 DOOR SCHEDULE



UNIT NUMBERS: *RIBBON CONDENSED, 4" NATURAL SATIN ALUM., WWW.WESTONLETTERS.COM


1 DOOR TYPES

M/E/P/FP ENGINEER
CSI ENGINEERING
781.233.4808

CUBE
CUBE design + research, LLC | t/f 617.848.2602
30 Kneeland Street 4th Flr, Boston, MA 02111 | www.cubework.com

ARCH. BID SET	3.07.1
CONSTRUCTION DOCS	1.31.1
DESIGN DEVELOPMENT	9.26.1
STRUCTURE PERMIT	8.09.1
LANDMARKS REVIEW	7.12.1
PERMIT SET	6.28.1
SCHEMATIC DESIGN	5.27.1
ISSUE	DAT

ISSUED FOR CONSTRUCTION



SCALE AS NOTED DATE DRAWN 5.27.1

DOOR SCHEDULE & DETAILS

A10.3